

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

**RECEIVED**  
**CENTRAL FAX CENTER**  
**OCT 24 2007**

**AMENDMENTS TO THE CLAIMS**

Kindly amend claims 1, 18, 25-26, and 31 as shown in the following listing of claims. The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Currently Amended) An apparatus for performing cryptographic operations, comprising:  
  
fetch logic, disposed within a microprocessor, configured to receive a  
cryptographic instruction, ~~received by a microprocessor~~ as part of an instruction flow executing on said microprocessor, wherein said cryptographic instruction prescribes one of the cryptographic operations, and wherein said cryptographic instruction prescribes one of a plurality of data block sizes; and  
  
execution logic, disposed within said microprocessor and operatively coupled to  
said cryptographic instruction, configured to execute said one of the cryptographic operations, said execution logic comprising:  
  
a block size controller, configured to employ said one of a plurality of data block sizes during execution of said one of the cryptographic operations.
2. (Original) The apparatus as recited in claim 1, wherein said one of the cryptographic operations further comprises:  
  
an encryption operation, said encryption operation comprising encryption of a plurality of plaintext blocks to generate a corresponding plurality of ciphertext blocks.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

3. (Original) The apparatus as recited in claim 1, wherein said one of the cryptographic operations further comprises:  
  
a decryption operation, said decryption operation comprising decryption of a plurality of ciphertext blocks to generate a corresponding plurality of plaintext blocks.
4. (Original) The apparatus as recited in claim 1, wherein said one of a plurality of data block sizes comprises 128 bits.
5. (Original) The apparatus as recited in claim 1, wherein said one of a plurality of data block sizes comprises 192 bits.
6. (Original) The apparatus as recited in claim 1, wherein said one of a plurality of data block sizes comprises 256 bits.
7. (Original) The apparatus as recited in claim 1, wherein said one of the cryptographic operations is executed according to the Advanced Encryption Standard (AES) algorithm.
8. (Original) The apparatus as recited in claim 1, wherein said data block controller is configured to interpret a data block size field within a control word which is referenced by said cryptographic instruction.
9. (Previously Presented) The apparatus as recited in claim 1, wherein said cryptographic instruction is prescribed according to the instruction format for execution on an x86-compatible microprocessor.
10. (Original) The apparatus as recited in claim 1, wherein said cryptographic instruction implicitly references a plurality of registers within said computing device.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

11. (Original) The apparatus as recited in claim 10 wherein said plurality of registers comprises:  
  
a first register, wherein contents of said first register comprise a first pointer to a first memory address, said first memory address specifying a first location in memory for access of a plurality of input text blocks upon which said one of the cryptographic operations is to be accomplished, said plurality of input text blocks are sized according to said one of a plurality of data block sizes.
12. (Original) The apparatus as recited in claim 10, wherein said plurality of registers comprises:  
  
a second register, wherein contents of said second register comprise a second pointer to a second memory address, said second memory address specifying a second location in said memory for storage of a corresponding plurality of output text blocks, said corresponding plurality of output text blocks being generated as a result of accomplishing said one of the cryptographic operations upon a plurality of input text blocks, wherein said plurality of input and output text blocks are sized according to said one of a plurality of data block sizes.
13. (Previously Presented) The apparatus as recited in claim 10, wherein said plurality of registers comprises:  
  
a third register, wherein contents of said third register indicate a number of blocks within a plurality of input text blocks, wherein said plurality of input text blocks are sized according to said one of a plurality of data block sizes.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

14. (Original) The apparatus as recited in claim 10, wherein said plurality of registers comprises:

a fourth register, wherein contents of said fourth register comprise a third pointer to a third memory address, said third memory address specifying a third location in memory for access of cryptographic key data for use in accomplishing said one of the cryptographic operations.

15. (Original) The apparatus as recited in claim 10, wherein said plurality of registers comprises:

a fifth register, wherein contents of said fifth register comprise a fourth pointer to a fourth memory address, said fourth memory address specifying a fourth location in memory, said fourth location comprising said initialization vector location, contents of said initialization vector location comprising an initialization vector or initialization vector equivalent for use in accomplishing said one of the cryptographic operations.

16. (Original) The apparatus as recited in claim 8, wherein said plurality of registers comprises:

a sixth register, wherein contents of said sixth register comprise a fifth pointer to a fifth memory address, said fifth memory address specifying a fifth location in memory for access of a control word for use in accomplishing said one of the cryptographic operations, wherein said control word prescribes cryptographic parameters for said one of the cryptographic operations, and wherein said control word comprises:

a data block size field, configured to specify said one of a plurality of data block sizes to be employed during execution of said one of the cryptographic operations.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

17. (Original) The apparatus as recited in claim 1, wherein said execution logic comprises:  
  
a cryptography unit, configured execute a plurality of cryptographic rounds on each of a plurality of input text blocks to generate a corresponding each of a plurality of output text blocks, wherein said one of a plurality of data block sizes is prescribed by a control word that is provided to said block size controller within said cryptography unit.
18. (Currently Amended) An apparatus for performing cryptographic operations, comprising:  
  
a cryptography unit within a microprocessor, configured to execute one of the cryptographic operations responsive to receipt by said microprocessor of a cryptographic instruction within an instruction flow that prescribes said one of the cryptographic operations, wherein said cryptographic instruction is fetched from memory by fetch logic in said microprocessor, and wherein said cryptographic instruction also prescribes a block size to be employed when executing said one of the cryptographic operations; and  
  
block size logic, operatively coupled within said cryptography unit, configured to direct said microprocessor to employ said block size when performing said one of the cryptographic operations.
19. (Original) The apparatus as recited in claim 18, wherein said block size comprises 128-bits.
20. (Original) The apparatus as recited in claim 18, wherein said block size comprises 192-bits.
21. (Original) The apparatus as recited in claim 18, wherein said block size comprises 256-bits.
22. (Original) The apparatus as recited in claim 18, wherein said one of the cryptographic operations is executed according to the Advanced Encryption Standard (AES) algorithm.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

23. (Original) The apparatus as recited in claim 18, wherein said block size logic is configured to interpret a data block size field within a control word which is referenced by said cryptographic instruction.
24. (Previously Presented) The apparatus as recited in claim 18, wherein said cryptographic instruction is prescribed according to the instruction format for execution on an x86-compatible microprocessor.
25. (Currently Amended) A method for performing cryptographic operations in a device, the method comprising:  
  
within a microprocessor, ~~receiving~~fetching a cryptographic instruction ~~from~~  
memory that prescribes employment of particular data block size during  
execution of one of a plurality of cryptographic operations; and  
  
within the microprocessor, executing the cryptographic instruction and employing  
the particular data block size when ~~executing~~performing the one of the  
cryptographic operations.
26. (Currently Amended) The method as recited in claim 25, wherein said ~~receiving~~  
fetching comprises:  
  
via a field within a control word that is referenced by the cryptographic  
instruction, specifying the particular block size.
27. (Original) The method as recited in claim 26, wherein said specifying comprises:  
prescribing 128 bits as the particular block size.
28. (Original) The method as recited in claim 26, wherein said specifying comprises:  
prescribing 192 bits as the particular block size.
29. (Original) The method as recited in claim 26, wherein said specifying comprises:  
prescribing 256 bits as the particular block size.

Application No. 10826433 (Docket: CNTR.2076)  
37 CFR 1.111 Amendment dated 10/24/2007  
Reply to Office Action of 10/22/2007

30. (Original) The method as recited in claim 25, wherein said employing comprises:  
executing the one of the cryptographic operations according to the Advanced  
Encryption Standard (AES) algorithm.
31. (Currently Amended) The method as recited in claim 25, wherein said ~~receiving~~  
fetching comprises:  
prescribing the cryptographic instruction according to the instruction format for  
execution on an x86-compatible microprocessor.